

rock drill shank adapter suitable for sandvik tamrock

The rock drill shank adapter is manufactured using specialized CNC machines and features internal and side flushing holes. It undergoes carburizing heat treatment technology, resulting in excellent hardness and toughness.

Rock Drill Shank Adapter Manufacturing Process

During the manufacturing process of the rock drill shank adapter, precision instruments are used for measurement to ensure excellent straightness and bending resistance.

Compatible Shank Adapter Models for Sandvik Tamrock Rock Drills

Users can choose different models of shank adapters, which are suitable for various models of Sandvik Tamrock rock drills, as shown below:

- Tamrock 438, 538
- Tamrock HL500
- Tamrock HL500, HL500s
- Tamrock HL600, HL600s
- Tamrock HL700, HL800
- Tamrock HL1000





<https://www.beentools.com>

- Tamrock HL1000-80
- Tamrock HL1000S-80
- Tamrock HLx5/HLx5T



Technical Information for Rock Drill Shank Adapters

- **Length:** 430 mm, 550 mm, 760 mm, etc.
- **Diameter:** 38 mm, 45 mm, 51.7 mm, 80 mm, etc.
- **Connection thread specifications:** R32, R38, T38, T51, etc.
- **Weight:** 3.9 kg to 21.0 kg.



rock drill shank adapter suitable for sandvik tamrock

Shank adapter	L mm	D mm	Thread	Order number	Weight kg
Tamrock438, 538 	430	38	R32	B424-3843-5154	4.4
Tamrock HL500 	550	45	T38	B428-4555-9176	5.3
	550	45	T45	B428-4555-9177	6.0
Tamrock HL500, HL500s	460	38	R32	B428-3846-9154	3.9
	460	38	R38	B428-3846-9156	4.2




rock drill shank adapter suitable for sandvik tamrock

Shank adapter	L mm	D mm	Thread	Order number	Weight kg
	460	38	T38	B428-3846-9176	4.2
Tamrock HL600, HL600s 	600	44.8	R32	B428-4560-5154	5.8
	600	44.8	T38	B428-4560-5176	6.0
	600	44.8	T45	B428-4560-5177	6.4
Tamrock HL700, HL800	600	44.7	T45	B428-4560-5177	7.2
	600	51.5	T38	B428-5260-5176	8.0

rock drill shank adapter suitable for sandvik tamrock

Shank adapter	L mm	D mm	Thread	Order number	Weight kg
	600	51.7	T45	B428-5260-5177	8.5
	600	51.7	T51	B428-5260-5178	8.7
Tamrock HL1000 	590	51.8	T51	B428-5259-5178	9.3
	670	51.8	T45	B428-5267-5177	10.0
	670	51.8	T51	B428-5267-5178	10.2
Tamrock HL1000-80	760	80	T60	B428-8076-517A	21.0

rock drill shank adapter suitable for sandvik tamrock

Shank adapter	L mm	D mm	Thread	Order number	Weight kg
					
Tamrock HL1000S-80	635	80	ST58	B428-8063-5129	17.0
	640	80	ST68	B428-8064-512B	17.0
Tamrock HLx5, HLx5T	500	45	R38	B428-4550-9175	5.2
	500	45	T38	B428-4550-9176	5.1
	575	45	T38	B428-4557-9176	5.7

<https://www.beentools.com>

rock drill shank adapter suitable for sandvik tamrock

Shank adapter	L mm	D mm	Thread	Order number	Weight kg
	575	45	T45	B428-4550-9177	5.6